

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40	(QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 13:03
L2	33	path AND (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 13:05
L3	32	length AND path AND (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 13:05
S1	154	380/258.ccls. AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:39
S2	2	"5243649".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:21
S3	2	"5339182".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:22
S4	2	"5414771".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:23
S5	2	"5675648".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:24

EAST Search History

S6	2	"5732139".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:25
S7	2	"5757912".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:26
S8	2	"5764765".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:27
S9	2	"5768378".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:29
S10	2	"5850441".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:30
S11	2	"5953421".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:30
S12	2	"5966224".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:31
S13	2	"6028935".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:32

EAST Search History

S14	0	training symbols AND 380/258.ccls. AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:39
S15	3	training symbols AND "380".clas. AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:04
S16	3	timing symbols AND "380".clas. AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:46
S17	23	path length AND quantum AND ("380".clas. OR "726".clas. OR "713".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:54
S18	15	timing AND path length AND quantum AND ("380".clas. OR "726".clas. OR "713".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:54
S19	16	timing AND (path length OR length path) AND quantum AND ("380".clas. OR "726".clas. OR "713".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:59
S20	24	(path length OR length path) AND quantum AND ("380".clas. OR "726".clas. OR "713".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:54
S21	3	quantum cryptographic key distribution AND (path length OR length path) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 14:59

EAST Search History

S22	822	training symbols AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:04
S23	32	(length path OR path length) AND training symbols AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:05
S24	29	phase AND (length path OR path length) AND training symbols AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:10
S25	495	phase AND (length path OR path length) AND timing pulse AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:12
S26	42	quantum AND phase AND (length path OR path length) AND timing pulse AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:12
S27	2	quantum AND phase error AND (length path OR path length) AND timing pulse AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 16:17
S28	86	quantum AND phase error AND path AND timing AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 18:23
S29	1	(quantum key distribution OR quantum cryptographic key distribution OR "QKD") AND quantum AND phase error AND path AND timing AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 16:18

EAST Search History

S30	2	phase error AND phase shift AND fiber stretcher AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:12
S31	228	fiber stretcher AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:12
S32	98	well known AND fiber stretcher AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:15
S33	13	well known SAME fiber stretcher AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:40
S34	2172	probabilit\$2 AND phase error AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:38
S35	961	filter AND estimat\$3 AND length AND probabilit\$2 AND phase error AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:39
S36	843	detection AND filter AND estimat\$3 AND length AND probabilit\$2 AND phase error AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:46
S37	6	well known SAME fiber stretcher AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:40

EAST Search History

S38	10	detection AND filter AND estimat\$3 AND length AND probabilit\$2 AND phase error AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:35
S39	2	"5157461".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:34
S40	2	"6160627".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:34
S41	0	least absolute residual AND (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:36
S42	6	least absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 10:27
S43	85	absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:44
S44	15	estimation AND absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:55
S45	21	(estimation OR estimate) AND absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:45

EAST Search History

S46	2	optic AND (estimation OR estimate) AND absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:45
S47	3	optic AND absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:45
S48	0	optic AND (absolute residual OR (bi-square OR bisquare)) AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:46
S49	4	optic AND (absolute residual OR (bi-square OR bisquare)) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:46
S50	0	optic AND (absolute residual OR (bi-square OR bisquare)) weight AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:46
S51	3	optic AND absolute residual OR bi\$1square weight AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:46
S52	1	optic AND (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:47
S53	70	(absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:47

EAST Search History

S54	0	phase error AND (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:47
S55	4	estimat\$3 AND phase AND (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:48
S56	16	estimat\$3 AND (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:48
S57	3	robust least square AND (absolute residual OR (bisquare OR bi square OR bi-square)) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:50
S58	31	robust least square AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:51
S59	0	least absolute residual AND robust least square AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:51
S60	19	weight AND robust least square AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 09:52
S61	14	bisquare OR least absolute residuals AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 10:29